



USAID
FROM THE AMERICAN PEOPLE



FIRMA
Project BiH



Jafa Jase 4

Proizvodnja prozora i vrata

Doors and windows production



Pet decenija duga porodična tradicija i bogato iskustvo u obradi drveta, pozicionirali su naše preduzeće na sami vrh ljestvice proizvođača stolarije u regiji. Povjerenje kupaca duže je od pola stoljeća, a mi smo ga gradili polako i oprezno, uvijek nudeći tržištu ono što je najbolje: kvalitet, garanciju, poštivanje rokova izrade...

Pratili smo svjetske trendove u dizajniranju i izradi vrata i prozora, vodeći se maksimom da vrhunski majstori i u najtvrdjem drvetu mogu pronaći dušu. Estetiku i funkcionalnost naših proizvoda, nametnuli smo kao svoj identitet na tržištu proizvođača građevinske stolarije. Zahvaljujući tome, postali smo respektabilan izvoznik u zemlje regiona sa plasmanom od oko 80 % svoje proizvodnje. Međutim, ostali smo u potpunosti odani svojim kupcima u Bosni i Hercegovini, gdje strpljivo gradimo svoju poslovnu mrežu. Izrađujemo proizvode po Vašoj želji, a ukoliko to želite, naši inženjeri predložit će najbolja rješenja za vaš stambeni ili poslovni objekat i dovesti Vašu ideju do pune realizacije, kojom ćete biti zadovoljni.

Dođite po najbolje rješenje!

Five decades long family tradition and rich experience in wood processing have placed us among top doors and windows producers in the region. We have our customers' trust for more than half a century, and we built it slowly and carefully, offering the best for the market: quality, guarantee, meeting deadlines...

We have kept up with the world class designing trends in windows and doors design and making, lead by the principle that top master carpenters can find a soul in the hardest wood. The esthetics and functionality of our products create our identity on the woods and windows market. Thanks to that, we have become a respectable importer into neighboring countries, exporting about 80% of our products. However, we have also been completely loyal to our customers in Bosnia and Herzegovina, where we are building our business network with patience. We are making products on demand, and, if you wish, our engineers will suggest the best solutions for your home or business object, bringing your idea to complete realization and making you satisfied.

Come and get your best solution!



Proizvodno-prodajni kompleks Jafa Jase 4 prostire se na 34.000 m² uz magistralni put Tuzla-Orašje, u naselju Špcionica. To nam omogućuje da budemo komunikacijski veoma dobro povezani sa svim većim gradovima u BiH i državama u okruženju. Proizvodni kapaciteti su smješteni na 4.700 m² i omogućavaju značajno proširenje. Posjedujemo modernu tehnologiju za finalnu obradu drveta, te proizvodnju najkvalitetnijih vrata i prozora. Međutim, kao najvažniji segment našeg proizvodnog procesa i kompletne organizacije poslovnog društva, ističemo svoje uposlenike. Stalne edukacije, usavršavanje i predanost poslu, garant su našega kvaliteta i pozicije lidera na regionalnom tržištu.

Predanim radom na razvoju drvnog programa, uspjeli smo stvoriti široku paletu kvalitetnih, originalnih proizvoda. Prozore radimo u programu JJ4-Standard 56, JJ4-Soft 58 i JJ4-Soft 68, a posebno smo ponosni da smo među rijetkim u regionu, koji u svojoj ponudi imaju usvojenu proizvodnju drvo-aluminijum prozora, sa aluminijskim oblogama talijanskog proizvođača Olimpia.

Preduzeće Jafa Jase 4 u ponudi ima vrlo široku paletu ulaznih i sobnih vrata. Kada su u pitanju ulazna vrata, kupac može da izabere između programa 42 mm i 68 mm kao i vrstu drveta (jela/smrča, hrast, meranti...). Raspolažemo i izrazito bogatom ponudom sobnih vrata, program masiv i furnir...

Da bismo upotpunili našu ponudu i bili u stanju ispuniti sve zahtjeve naših kupaca, u proizvodnom programu smo usvojili i PVC stolariju, a u proizvodnji koristimo samo visoko certificirane PVC profile koji zadovoljavaju sve uvjete i standarde važeće u Evropskoj Uniji.

Production and sales complex of Jafa Jase 4 Company covers 34,000m² and it is situated near Tuzla-Orašje freeway, in Špcionica. Such position helps us to have a good communicational connection with all larger cities in Bosnia and Herzegovina and in the neighboring countries. The production capacities are situated on 4,700m² with expanding possibilities. We have the cutting edge wood processing and windows and doors production technology. However, the most important segment of our production process and organization are our employees. Constant education, improvement and dedication are a warranty of our quality and leading position on the regional market.

Thanks to our dedicated work in the wood program development, we managed to create a wide line of quality and original products. Our windows are made according to program JJ4-Standard 56, JJ4-Soft 58 and JJ4-Soft 68. We are proud for the offer of wood-aluminum combined windows, coated with aluminum coatings by Italian manufacturer Olimpia.

Jafa Jase 4 offers a wide line of front doors and doors. When the front doors are concerned, a customer can choose between 42mm and 68mm programs and different types of wood (pine tree, juniper-tree, oak, meranti...). We also offer a wide line of doors, programs massive and veneer.

In order to complete our offer and respond to customers' demands, we included the PVC doors and windows in our program, and within our production we use only certified PVC profiles, which meet all conditions and standards valid in EU.





Prozori

Windows

JJ4-SOFT 68



JJ4-SOFT 68 BELGIJA




JJ4-CLASSIC IV 78




JJ4-DRVO-AL



JJ4-PVC W750






JJ4-SOFT 68

| | |
|--------|---|
| DRVO | Jela/Smrča, Ariš, B.Bor, Hrast, Meranti |
| STAKLO | 28 -36 mm |
| BOJA | Sigma |
| OKOV | Roto compact S , Roto NT |
| Rw | 32-38 dB |
| Ug | 1.1-0,7 W/m ² K |

JJ4-SOFT 68

| | |
|-------|---|
| WOOD | Fir / Spruce, Larch, White Pine, Oak, Meranti |
| GLASS | 28 -36 mm |
| COLOR | Sigma |
| MOUNT | Roto compact S , Roto NT |
| Rw | 32-38 dB |
| Ug | 1.1-0,7 W/m ² K |





JJ4-SOFT 68 b

| | |
|--------|---|
| DRVO | Jela/Smrča, Ariš, B.Bor, Hrast, Meranti |
| STAKLO | 28 -36 mm |
| BOJA | Sigma |
| OKOV | Roto compact S , Roto NT |
| Rw | 32-38 dB |
| Ug | 1.1-0,7 W/m ² K |

JJ4-SOFT 68 b

| | |
|-------|---|
| WOOD | Fir / Spruce, Larch, White Pine, Oak, Meranti |
| GLASS | 28 -36 mm |
| COLOR | Sigma |
| MOUNT | Roto compact S , Roto NT |
| Rw | 32-38 dB |
| Ug | 1.1-0,7 W/m ² K |





JJ4-PVC W750

PROFIL Wintech W750
STAKLO 24-36 mm
BOJA Bijela , Dekor
OKOV Accado
Rw 32-38 dB
Ug 1,1 , 0,7 W/m² K

JJ4-PVC W750

PROFILE Wintech W750
GLASS 24-36 mm
COLOR White, Decor
MOUNT Accado
Rw 32-38 dB
Ug 1,1 , 0,7 W/m² K





Prozori


Windows

Klizno nagibna stijena PSK

- Okov Roto, boja pokrivnih profila: silver, bronza, bijela
- Maksimalna širina krila 1600 mm, visina od 1980-2380 mm
- Moguća izvedba u svim prozorskim sistemima

Tilting modulating cliffs PSK

- Roto Hardware, blast profile: silver, bronze, white
- The maximum width of wing 1600 mm the height of 1980-2380 mm
- Possible version in all windows systems







Podizno-klizne stijene HS

Okov MACO HS, boja pokrivnih profila smeđa, siva, bijela
Prag: al. prag 20 mm, niski al. prag, drveni prag sa al. vodilicom
Moguća izvedba u svim prozorskim sistemima
Stijene pogodne za veće otvore

Lift-sliding cliffs HS


Hardware MACO HS, blast profile brown, gray, white
The doorstep: al. doorstep 20 mm, low al. doorstep, wood doorstep with al. Boom
Possible version in all windows systems
The cliffs are suitable for larger holes






Staklo

Glass




4+20 ar + 4 low-e
6+20 ar + 6 low-e

Ug=1,1 W/m² K
Ug=1,1 W/m² K



4+10+4 low-e +10+4low-e
4+12ar+4 low-e +12ar+4low-e
4+14ar+4 low-e +14ar+4low-e

Ug=0,9 W/m² K RW dB=32
Ug=0,7 W/m² K RWdB=33
Ug=0,6 W/m² K RW dB = 33



331+16 ar+331 low-e
331+16 ar+ 6 low-e
441+16 ar+441 low-e

Ug=1,1 W/m² K RW dB= 39
Ug=1,1 W/m² K RW dB=34
Ug=1,1 W/m² K RW dB = 41





TON KARTA RENNER

| | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|--------|
| | | | | | | | |
| NTR | I-0 | I-7 | I-3 | I-6 | I-8 | I-5 | BIJELA |


TON KARTA SIGMA

| JELA | MERANTI | JELA | MERANTI | JELA | MERANTI |
|------|---------|------|---------|------|---------|
| S1 | | S5 | | S9 | |
| S2 | | S6 | | S10 | |
| S3 | | S7 | | S11 | |
| S4 | | S8 | | S12 | |

RAL karta boja

| | | | | | | | |
|----------|----------|----------|----------|----------|----------|----------|----------|
| RAL 1000 | RAL 1001 | RAL 1002 | RAL 1003 | RAL 1004 | RAL 1005 | RAL 1006 | RAL 1007 |
| RAL 1011 | RAL 1012 | RAL 1013 | RAL 1014 | RAL 1015 | RAL 1016 | RAL 1017 | RAL 1018 |
| RAL 1019 | RAL 1020 | RAL 1021 | RAL 1023 | RAL 1024 | RAL 1027 | RAL 1028 | RAL 1032 |
| RAL 1033 | RAL 1034 | RAL 2000 | RAL 2001 | RAL 2002 | RAL 2003 | RAL 2004 | RAL 2008 |
| RAL 2009 | RAL 2010 | RAL 2011 | RAL 2012 | RAL 3000 | RAL 3001 | RAL 3002 | RAL 3003 |
| RAL 3004 | RAL 3005 | RAL 3007 | RAL 3009 | RAL 3011 | RAL 3012 | RAL 3013 | RAL 3014 |
| RAL 3015 | RAL 3016 | RAL 3017 | RAL 3018 | RAL 3020 | RAL 3022 | RAL 3027 | RAL 3031 |
| RAL 4001 | RAL 4002 | RAL 4003 | RAL 4004 | RAL 4005 | RAL 4006 | RAL 4007 | RAL 4008 |
| RAL 4009 | RAL 5000 | RAL 5001 | RAL 5002 | RAL 5003 | RAL 5004 | RAL 5005 | RAL 5007 |
| RAL 5008 | RAL 5009 | RAL 5010 | RAL 5011 | RAL 5012 | RAL 5013 | RAL 5014 | RAL 5015 |
| RAL 5017 | RAL 5018 | RAL 5019 | RAL 5020 | RAL 5021 | RAL 5022 | RAL 5023 | RAL 5024 |
| RAL 6000 | RAL 6001 | RAL 6002 | RAL 6003 | RAL 6004 | RAL 6005 | RAL 6006 | RAL 6007 |
| RAL 6008 | RAL 6009 | RAL 6010 | RAL 6011 | RAL 6012 | RAL 6013 | RAL 6014 | RAL 6015 |
| RAL 6016 | RAL 6017 | RAL 6018 | RAL 6019 | RAL 6020 | RAL 6021 | RAL 6022 | RAL 6024 |
| RAL 6025 | RAL 6026 | RAL 6027 | RAL 6028 | RAL 6029 | RAL 6032 | RAL 6033 | RAL 6034 |
| RAL 7000 | RAL 7001 | RAL 7001 | RAL 7002 | RAL 7003 | RAL 7004 | RAL 7005 | RAL 7006 |
| RAL 7008 | RAL 7009 | RAL 7010 | RAL 7011 | RAL 7012 | RAL 7013 | RAL 7015 | RAL 7016 |
| RAL 7021 | RAL 7022 | RAL 7023 | RAL 7024 | RAL 7026 | RAL 7030 | RAL 7031 | RAL 7032 |
| RAL 7033 | RAL 7034 | RAL 7035 | RAL 7036 | RAL 7037 | RAL 7038 | RAL 7039 | RAL 7040 |
| RAL 7042 | RAL 7043 | RAL 7044 | RAL 8000 | RAL 8001 | RAL 8002 | RAL 8003 | RAL 8004 |
| RAL 8007 | RAL 8008 | RAL 8011 | RAL 8012 | RAL 8014 | RAL 8015 | RAL 8016 | RAL 8017 |
| RAL 8019 | RAL 8022 | RAL 8023 | RAL 8024 | RAL 8025 | RAL 8028 | RAL 9001 | RAL 9002 |
| RAL 9003 | RAL 9004 | RAL 9005 | RAL 9010 | RAL 9011 | RAL 9016 | RAL 9017 | RAL 9018 |

Maco Harmony



Maco Rhapsody



Hoppe Atlanta Secustic



Maco Harmony



Ulažna vrata

Entrance doors



MASIV CLASSIC 68



PRESTIGE CLASSIC
PRESTIGE MODERN



DRVO-AL. PRESTIGE CLASSIC
DRVO-AL. PRESTIGE MODERN



Masiv

Standardna izvedba masiv

Vrsta drveta- jela/smrča,
hrast,meranti
Dimenzija - širina 1000 -
1150 mm , visina 2000 -
2300 mm
Debljina krila/štoka - 68 mm
Staklo - termo izolacijsko iz
skupine 1.1. W/m2K
Okov - spojnica 3x , brava
Maco 92/55,cilindar 40/50
Prag - termoizolacijski al.prag
Gutmann
Okapnica - drvo 20/78
Površinska zaštita -
debeloslojna lazura Sigma

Standard version massive

Types of wood-fir / spruce,
oak, meranti
Dimensions - width 1000 -
1150 mm, the height 2000 -
2300 mm
Thickness of wing / frame -
68 mm
Glass - thermal isolation of
the group 1.1. W/m2K
Hardware - 3x hinge, lock
Maco 92/55, cylinder 40/50
The doorstep - thermal
isolation al. doorstep
Gutmann
Dripline - Wood 20/78
Coating - high build stain
Sigma

**Esmralda****Standard style****Tinja****Ambijenta**

Masiv



Lepeza



Una



Belgija style



Sana




Sena



Temza

Prestige Classic - Prestige Modern

Tehnički detalji



Prestige
Classic



Prestige
Modern

Standardna izvedba Prestige classic i modern

Vrsta drveta- jel/smrča, hrast, meranti
Dimenzija - širina 1000 -1150 mm, visina 2000 - 2300 mm
Debljina krila/štoka - 68 mm
Staklo - termo izolacijsko iz skupine 1.1. W/m2K
Okov - spojnica 3x , brava Maco 92/55,cilindar 40/50
Prag - termoizolacijski al.prag Gutmann
Okapnica - drvo 20/78 , aluminijski
površinska zaštita - debeloslojna lazura Sigma


POSEBNA IZVEDBA VRATA
PRESTIGE MODERN
KRILO RAVNO SA ŠTOKOM.

Standard version Prestige Classic and Modern

Types of wood-fir / spruce, oak, meranti
Dimensions - width 1000 - 1150 mm the height 2000 - 2300 mm
Thickness of wing / frame - 68 mm
Glass - thermal isolation of the group 1.1. W/m2K
Hardware - 3x hinge, lock Maco 92/55, cylinder 40/50
The doorstep - thermal isolation al. doorstep Gutmann Dripline - Wood 20/78, aluminium
Coating - high build stain Sigma

SPECIAL DESIGN PRESTIGE
MODERN DOOR
STRAIGHT WING WITH
LIVESTOCK

Prestige Classic - Prestige Modern




P1



P2



P3



P4



P5



P6



Ulagna vrata

Entrance doors

Prestige Classic - Prestige Modern

Standardna izvedba drvo-aluminij Prestige classic I modern

Vrsta drveta- jela/smrča , hrast,meranti
Dimenzija - širina 1000-1150 , visina 2000-2300 mm
Debljina krila/štoka - 68 /85mm
Staklo - termo izolacijsko iz skupine 1.1. W/m2K
Okov - spojnica 3 x , brava Maco 92/55,cilindar 40/50
Prag - termoizolacijski al.prag Gutmann
okapnica - aluminijski
Površinska zaštita - debeloslojna lazura Sigma
Površinska zaštita aluminija - praškasto lakiranje po RAL karti
Aluminijска облога на крилу - 1-2 mm debljine



P8

P9

POSEBNA IZVEDBA VRATA
DRVO-ALUMINIJ PRESTIGE
MODERN
KRILO RAVNO SA ŠTOKOM



P10

P11

P12

Ulagna vrata

Entrance doors




Drvo - Al.
Prestige Classic - Prestige Modern



PDA1



PDA2



PDA3



PDA4



PDA5



PDA6

Drvo - Al.
Prestige Classic - Prestige Modern



PDA7




PDA8



PDA9



PDA10



PDA11

Masiv

Krilo vrata:

Materijal

Okvir krila masiv drvo J/S obloženo MDF pločom 4mm, ispuna MDF ploča, prirodn furnir 0.6mm/kant 1.5mm

Dihitung EPDM

Otvaranje: tradicionalna (jednokrilna vrata), dvokrilna vrata, vrata sa pomoćnim štokom, klizna vrata, harmo vrata

Okov: brava 65mm, raspon os kvake i ključa 90mm, Ø15mm (za tradicionalno otvaranje)

Boja: nitrobajc + transparentni P.U. lak sjaja 80%

ŠTOK/Dovratnik:

Materijal: MDF sa ojačanjem jela/smreka, furnir 0.6mm

Ukrasne lajsne: opšavne lajsne

DihitungEPDM

Staklo: ornament pjesak 4mm

SilikonTransparentni neutralni

Okov Skrivena ili poluskrivena spojnice, prihvatanik za bravu

Boja Nitrobajc + transparentni P.U. lak sjaja 80%



Nejra 2



Nejra 1



Nejra 5



Nejra 3



Nejra 4



Nejra 6



Nejra 7



Nejra 8



Nejra 9



Nejra 11

Line

Krilo vrata:

Materijal: okvir krila masiv drvo J/S obloženo MDF pločom 4mm, ispuna MDF ploča, prirodni furnir 0.6mm/kant 1.5mm

Dihtung: EPDM

Otvaranje: tradicionalna (jednokrilna vrata), dvokrilna vrata, vrata sa pomoćnim štokom, klizna vrata, harmo vrata

Okov: brava 65mm, raspon os kvake i ključa 90mm,

Φ15mm (za tradicionalno otvaranje)

Boja: nitrorobajc + transparentni P.U. lak sjaja 80%

ŠTOK/Dovratnik:

Materijal: MDF sa ojačanjem jela/smreka, furnir 0.6mm

Ukrasne lajsne: opšavne lajsne

Dihtung: EPDM

Staklo: ornament pjesak 4mm

Silikon: transparentni neutralni

Okov: skrivene ili poluskrivenе spojnice, prihvatanik za bravu

Boja: nitrorobajc + transparentni P.U. lak sjaja 80%



L1



L2



L3



L4



L5



L6



L7



L8



L9



L10

Modern line

Krilo vrata:

Materijal: okvir krila je izrađen od jela/smrča drveta, prekriven sa dvije MDF obloge 4mm, furnir 0.6mm/kant 1.5mm.

Strukturu punjenja čini stabilizacijski sloj papirno „saće“, opcionalno punjenje može biti i performirana iverica.

Dihtung: EPDM

Otvaranje: tradicionalna (jednokrilna vrata), dvokrilna vrata, vrata sa pomoćnim krilom, klizna vrata, harmo vrata

Okov: brava 65mm, raspon os kvake i ključa 90mm, Ø15 mm

Boja: transparentni P.U. lak

Štok/Dovratnik:

Materijal: MDF sa ojačanjem jela/smreka furnir 0.6mm

Opšavne lajsne: masiv/hrast

Dihtung: EPDM

Staklo: ornament pijesak 4mm

Silikon: transparentni neutralni

Okov: skrivene ili poluskrivenе spojnice, prihvatanje brave

Boja: transparentni P.U. lak



ML 1



ML 2T



ML 2H



ML 20



ML 3



ML 4



ML 5



ML 6



ML 7



ML 7

Modern line




ML 8



ML 9



ML 10



ML 11



ML 12



ML 13



ML 14



ML 15



ML 16



ML 11-K

MDF line

Krilo vrata:

Materijal: okvir krila je izrađen od jela/smrča drveta, prekriven sa dvije HDF obloge 4mm

Strukturu punjenja čini stabilizacijski sloj papirno „sače“, opcionalno punjenje može biti i performirana iverica.

Dihtung: EPDM

Otvaramo: tradicionalna (jednokrilna vrata), dvokrilna vrata, vrata sa pomoćnim krilom, klizna vrata, harmo vrata

Okov: brava 65mm, raspon os kvake i ključa 90mm, Ø15 mm

Boja: transparentni P.U. lak

ŠTOK/Dovratnik:

Materijal: MDF sa ojačanjem jela/smreka -HDF 4 MM

Opšavne lajsne - HDF

Dihtung: EPDM

Staklo: ornament pjesak 4mm


Silikon: transparentni neutralni

Okov: skrivene ili poluskrivene spojnice, prihvatanje brave

Boja: RAL P.U. lak



MDF 1



MDF 2



MDF 3



MDF 4



MDF 5



MDF 6



MDF 7




MDF 8



MDF 6 RAL



MDF 6 RAL



JJ4-grilja 42mm

Drvo: bor, hrast, ariš, meranti
Okov: maco rustico, roto arx
Boja - sigma coatings
Modeli - pokretne , fiksne
Lamele ,bolsena ,dalmatinska škura i kapci

JJ4-blinds 42mm

Wood: pine, oak, larch, meranti
Hardware: Rustico Maco, Roto ARX
Color - Sigma Coatings
Models - mobile, fixed
Lamellae, Bolsena, Dalmatian
shutters and blinds



PVC nadprozorska



45 predprozorska



Al nadprozorska



Ovalna - rondo predprozorska







JJ4-roletne

Kutija - aluminijска и PVC
Montaža - nadprozorska i predprozorska
Modeli
- Al. nadprozorska
- PVC nadprozorska
- Rondo predprozorska
- 45 predprozorska
Lamele - PVC i aluminijска
Boja : bijela, dekori i RAL
Pogon
- manuelni
- gurtna automat
- kurbla
- taster
- daljinsko upravljanje
- rolo komarnici
- integrirani komarnici


JJ4-rolling shutters

Box - Aluminum and PVC
Installation - Above the window and in front the window
Models
- Al. above the window
- PVC above the window
- Rondo in front the window
- 45 in front the window
Lamellas - PVC and aluminum
Color: White, decors and RAL
The drive
- manual
- Flange machine
- Bearing
- taster
- Remote control
- Roller mosquito nets
- Integrated mosquito nets











Jafa Jase 4 doo

Špionica bb,
75350 Srebrenik
Bosna I Hercegovina

Tel:
+387 35 649 754
+387 35 649 925

Fax:
+387 35 649 755

jafajase@jafajase.com
www.jafajase.com

Jafa Jase 4 doo

Špionica bb,
75350 Srebrenik
Bosna I Hercegovina

Tel:
+387 35 649 754
+387 35 649 925

Fax:
+387 35 649 755

jafajase@jafajase.com
www.jafajase.com